

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

LOT	BID NO.	P.R.	PHILGEPS	R.O.	DESCRIPTION	ABC	RATE
1	20223766B	2022053497		PICKMO	PROCUREMENT OF LED SCREEN DISPLAY FOR PICKMO	4,200,000.00	5,000.00
2	20223767B	2022053371		PEEDO – DDNH – CARMEN	PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH-CARMEN ZONE	3,865,000.00	5,000.00
3	20223768B	2022053601		PADO – ADMIN	PROCUREMENT OF BRAND-NEW VEHICLE FOR OFFICIAL USE OF PADO - ADMIN	1,700,000.00	5,000.00
4	20223769B	2022053403		PENRO	PROCUREMENT OF IT EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	337,868.00	500.00
5	20223771B	2022053513		PEO – POOL	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPMENT POOL DIVISION	1,480,000.00	5,000.00

Provincial Government of Davao del Norte
Sixth Edition
July 2020

Date Published: **June 09, 2022**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy BOATd.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	5
Section I. Invitation to Bid.....	8
Section II. Instructions to Bidders.....	12
1. Scope of Bid	13
2. Funding Information.....	13
3. Bidding Requirements	13
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	14
5. Eligible Bidders.....	14
6. Origin of Goods	15
7. Subcontracts	15
8. Pre-Bid Conference	16
9. Clarification and Amendment of Bidding Documents	16
10. Documents comprising the Bid: Eligibility and Technical Components	16
11. Documents comprising the Bid: Financial Component	16
12. Bid Prices	17
13. Bid and Payment Currencies	17
14. Bid Security	18
15. Sealing and Marking of Bids	18
16. Deadline for Submission of Bids	18
17. Opening and Preliminary Examination of Bids	18
18. Domestic Preference	18
19. Detailed Evaluation and Comparison of Bids	19
20. Post-Qualification	19
21. Signing of the Contract	19
Section III. Bid Data Sheet	20
Section IV. General Conditions of Contract	23
1. Scope of Contract	24
2. Advance Payment and Terms of Payment	24
3. Performance Security	24
4. Inspection and Tests	24
5. Warranty	25
6. Liability of the Supplier	25
Section V. Special Conditions of Contract	26
Section VI. Schedule of Requirements	30
Section VII. Technical Specifications	31
Section VIII. Checklist of Technical and Financial Documents	33

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on BOATd” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy BOATd.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



PROVINCIAL BIDS AND AWARDS COMMITTEE

INVITATION TO BID FOR PROCUREMENT OF GOODS

1. The Provincial Government of Davao del Norte, through the following Source of Funds;

20223766B	GENERAL ADMINISTRATION - Office Equipment (10705020)
20223767B	GENERAL ADMINISTRATION - Medical Equipment (10705110)
20223768B	GENERAL ADMINISTRATION - Motor Vehicles (10706010)
20223769B	LAND SURVEYING & MAPPING PROJECT - Info. and Communication Technology Eqpt. (10705030)
20223771B	MOTOR POOL - Motor Vehicles (10706010)

intends to apply the sum of the corresponding Approved Budget for the Contract (ABC) to payments under the following contracts for Procurement of Goods. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Provincial Government of Davao del Norte now invites bids for the above Procurement Projects, to wit:

Lot	Bid No.	P.R.	PhilGEPS	R.O.	Description	ABC	Rate
1	20223766B	2022053497		PICKMO	PROCUREMENT OF LED SCREEN DISPLAY FOR PICKMO	4,200,000.00	5,000.00
2	20223767B	2022053371		PEEDO – DDNH – CARMEN	PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH-CARMEN ZONE	3,865,000.00	5,000.00
3	20223768B	2022053601		PADO – ADMIN	PROCUREMENT OF BRAND-NEW VEHICLE FOR OFFICIAL USE OF PADO - ADMIN	1,700,000.00	5,000.00
4	20223769B	2022053403		PENRO	PROCUREMENT OF IT EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	337,868.00	500.00
5	20223771B	2022053513		PEO – POOL	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPMENT POOL DIVISION	1,480,000.00	5,000.00

The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from Provincial Government of Davao del Norte and inspect the Bidding Documents at the address given below during **8:00 am-5:00 pm Mondays to Fridays**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **June 09, 2022** from the given address and website(s) specifically at: BAC Secretariat Office, 2F PGSO Bldg., Government Center, Mankilam, Tagum City, Province of Davao del Norte or at <http://www.davaodelnorte.gov.ph/index.php/bid-opportunities/bidding-invitations>: and upon payment of the non-refundable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount **as reflected in item no. 2**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees to be presented **in person**.
6. The Provincial Government of Davao del Norte will hold a Pre-Bid Conference through Google Meet® as the official platform for the videoconferencing on **June 17, 2022, 9:00 am** at which shall be opened to all interested parties. Interested parties for the online pre-bid conference shall send the following information at bacddn2@gmail.com a day before the pre-bid conference, to wit:
 1. Official e-mail address which will be used during videoconferencing;
 2. Name of Participant;
 3. Name and Address of Establishment;
 4. Bid Number; and
 5. Name of Project/Item Description
7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address indicated below on or before **June 30, 2022, 9:00 am**. Late bids shall not be accepted. Moreover, all interested parties can only attend the above-cited Opening of Bids through Google Meet® as the official platform for the videoconferencing. Interested parties for the online opening of bids shall send the following information at bacddn2@gmail.com a day before the opening of bids, to wit:
 1. Official e-mail address which will be used during videoconferencing;
 2. Name of Participant;
 3. Name and Address of Establishment;
 4. Bid Number; and
 5. Name of Project/Item Description
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

9. Bid opening shall be on **June 30, 2022, 9:00 am** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity online.
10. The Provincial Government of Davao del Norte reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:
MR. DENNIS B. DEVILLERES, LL.B.
(PEEDO – HEAD) BAC Chairperson
Provincial Economic Enterprise Development Office
Government Center, Mankilam, Tagum City

BAC SECRETARIAT OFFICE

Province of Davao del Norte
2F PGSO Bldg., Government Center, Mankilam, Tagum City
Telephone no. (province) 655-9415 Cellphone No. 09989630488
Email address: bacddn2@gmail.com
Website address: www.davaodelnorte.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.davaodelnorte.gov.ph/index.php/bid-opportunities/bidding-invitations

MR. DENNIS B. DEVILLERES, LL.B.
PG Dep't. Head - PEEDO
BAC Chairperson

Date of Issued: **June 09, 2022**

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Provincial Government of Davao del Norte wishes to receive Bids for the projects.

The Procurement Project (referred to herein as “Project”) is composed of items indicated in Section VII. Technical Specifications.

2. Funding Information

2.1. The GOP through the source of funding as indicated below, *viz:*

Bid No.	Funding Source
20223766B	GENERAL ADMINISTRATION - Office Equipment (10705020)
20223767B	GENERAL ADMINISTRATION - Medical Equipment (10705110)
20223768B	GENERAL ADMINISTRATION - Motor Vehicles (10706010)
20223769B	LAND SURVEYING & MAPPING PROJECT - Info. and Communication Technology Eqpt. (10705030)
20223771B	MOTOR POOL - Motor Vehicles (10706010)

2.2. The source of funding is:

- a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or

work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign Bidders

a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;

iii. When the Goods sought to be procured are not available from local suppliers; or

iv. When there is a need to prevent situations that defeat competition or restrain trade.

b. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

- c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies*] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

7.2. The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.

7.3. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants,

or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

- 13.2. Payment of the contract price shall be made in:

- a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid within **120 calendar days** from the Opening of Bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause							
5.3	For this purpose, contracts similar to the Project shall be:						
	Lot	Bid No.	P.R.	R.O.	Description	ABC	Rate
	1	20223766B	2022053497	PICKMO	PROCUREMENT OF LED SCREEN DISPLAY FOR PICKMO	4,200,000.00	5,000.00
	2	20223767B	2022053371	PEEDO – DDNH – CARMEN	PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH-CARMEN ZONE	3,865,000.00	5,000.00
	3	20223768B	2022053601	PENRO	PROCUREMENT OF BRAND-NEW VEHICLE FOR OFFICIAL USE OF PADO - ADMIN	1,700,000.00	5,000.00
	4	20223769B	2022053403	PDRRMD	PROCUREMENT OF IT EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	337,868.00	500.00
	5	20223771B	2022053513	PDRRMD	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPMENT POOL DIVISION	1,480,000.00	5,000.00
	a. completed prior to the deadline for the submission and receipt of bids.						
7.1	<i>No further instructions.</i>						
12	<i>No further instructions.</i>						
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p style="margin-left: 40px;">a. The amount of not less than _____ <i>[the amount equivalent to two percent (2%) of ABC]</i>, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; or</p> <p style="margin-left: 40px;">b. The amount of not less than _____ <i>[the amount equivalent to five percent (5%) of ABC]</i> if bid security is in Surety Bond.</p>						
19.3	Bid no.	Description			ABC		
	20223766B	PROCUREMENT OF LED SCREEN DISPLAY FOR PICKMO			4,200,000.00	Lot awarding	

	20223767B	PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH-CARMEN ZONE	3,865,000.00	Lot awarding
	20223768B	PROCUREMENT OF BRAND-NEW VEHICLE FOR OFFICIAL USE OF PADO - ADMIN	1,700,000.00	Lot awarding
	20223769B	PROCUREMENT OF IT EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	337,868.00	Lot awarding
	20223771B	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPMENT POOL DIVISION	1,480,000.00	Lot awarding
20.2	<p>Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law shall be submitted during post-qualification stage.</p> <p><i>Within 5 calendar days from the receipt of Notice to submit.</i></p>			
21.2	<p><i>No further instructions.</i></p>			

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ul style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p>

1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of (refer to the **Section VI. Schedule of Requirements**).

Spare parts or components shall be supplied as promptly as possible, but in any case, within _____ months of placing the order, but in any case, please refer to the Section VI. Schedule of Requirements.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

- Name of the Procuring Entity**
- Name of the Supplier**
- Contract Description**
- Final Destination**
- Gross weight**
- Any special lifting instructions**

	<p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>No partial payment is allowed.</i>
4	The inspections and tests that will be conducted are: <i>After the delivery and acceptance of the end user.</i>

Section VI. Schedule of Requirements

Lot no.	Bid no.	PR no.	Description	ABC
1	20223766B	2022053497	PROCUREMENT OF LED SCREEN DISPLAY FOR PICKMO	4,200,000.00
<p>Remarks : The supplier MUST INCLUDE:</p> <ul style="list-style-type: none"> - 2 years warranty on all parts - 3 years of free replacement of dead bulbs/pixel - free training on Ledwall Personnel in-charge - free training on Basic LedScreen Troubleshooting - free Installation <p>The Supplier MUST coordinate with the Requisitioning Office prior to quotation for specific details of procured items to ensure their quality through Ms. Krizza at krizzamaemier12@gmail.com</p> <p>PLACE OF DELIVERY :PGSO Warehouse</p>				
2	20223767B	2022053371	PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH – CARMEN ZONE	3,865,000.00
<p>PLACE OF DELIVERY: DAVAO DEL NORTE HOSITAL – CARMEN ZONE</p>				
3	20223768B	2022053601	PROCUREMENT OF BRAND NEW VEHICLE FOR OFFICIAL USE OF PADO – ADMIN	1,700,000.00
<p>Remarks: ADDITIONAL TERMS AND CONDITION:</p> <ol style="list-style-type: none"> 1. Supplier must have own or authorized or accredited Service Center in the Province of Davao del Norte or nearby cities with operating machine shop and equipment sufficient to serve and cater the aftersales needs of the vehicles; 2. Free tool box with basic tools; 3. Free operator maintenance and parts trining; 4. Supplier must submit a sworn statement stating the existence of business establishment for more than 5 years in Philippine market; 5. The brand of the unit offered must be in the Philippine market for at least 25 years; <p>Delivery Site: Davao del Norte</p> <ol style="list-style-type: none"> 7. GSIS Insurance (Comprehensive) 8. LTO Registration at LTO Regional Office, Davao City or LTO Tagum City (3 years LTO Registration) 9. Provincial Government Marker Logo <p>PLACE OF DELIVERY: PGSO - WAREHOUSE</p>				
4	20223769B	2022053403	PROCUREMENT OF IT EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	337,868.00
<p>REMARKS: FOR LAND MANAGEMENT PROJECT IMPLEMENTATION</p> <p>PLACE OF DELIVERY: PGSO WAREHOUSE</p>				
5	20223771B	2022053513	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPMENT POOL DIVISION	1,480,000.00
<p>REMARKS: SUPPLIER MUST BE BRAND NEW AND GENUINE</p> <p>PLACE OF DELIVERY: PGSO WAREHOUSE</p>				

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Lot No.	Bid No.	PR No.	Description	ABC	Remarks
1	20223766B	2022053497	PROCUREMENT OF LED SCREEN DISPLAY	4,200,000.00	<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
1	1.00	unit	<p>LED Screen Pixel Pitch 3 (Indoor Ledwall) Nationstar LED lamp</p> <p>LED Parameters * Red LED - 420-640mcd 620-630nm (wavelength) * Green LED - 1200-1800mcd 520-535nm (wavelength) * Blue LED - 280-480mcd 465-475nm (wavelength)</p> <p>Module Specifications * Pixel Pitch - 3.91mm * Pixel Configuration - SMD2525 3 in 1 * Module Resolution - 52*52 * Module Pixels - 2704dots * Module Size - 250*250mm</p> <p>Cabinet Specification * Cabinet Size (W*H) - 500*500mm * Cabinet Resolution - 128*128 * Module Quantity - 4 * Cabinet Pixels - 16384dots * Pixel Density - 65536dots/m2 * Average Power Consumption - 190W/m2 * Max. Power Consumption - 650W/m2 * Material - Die Casting Aluminum * Cabinet Weight - 11kg</p> <p>Screen Parameters * Screen Size - 9x12ft * Whole Screen Resolution - 26214400dots * Cabinet Quantity - 40 panels + free 8 panels (500x500mm)</p>		

- * Brightness - =4000CD/m2
- * Brightness(Max./Min.) - 1.2:1
- * Driving Method - 1/13 constant current driving
- * View Angle - Horizontal 120° Vertical 120°
- * Optimal Viewing Distance - 3-100m
- * Brightness Control - 14bit-16bit
- * Refresh frequency - =3840Hz
- * Frame Frequency - 50 -- 60Hz
- * Input Voltage - AC220V/110V±10% ,50Hz
- * Defects Rate - =0.00001
- * Power Consumption - Max:650W/? Average: 190W/?
- * Screen weight - =22kg/?
- * MTBF - >10,000 hours
- * Life span - =100,000 hours
- * Module Display Brightness Uniformity - <3%
- * Earth Leakage Current - <3mA
- * Protective Grade - IP65
- * Temperature-operating - 30?~60?
- * Humidity-operating - 10%~95%
- * Controlling system - Novastar

Inclusion

- * 48pcs P3.9 indoor full color rental | Product Code P3.9, Module Size - 2 Cabinet Size - 500*500mm, Display 12
- * Control System (sending card - 1 u card - 48 units)
- * 1 unit Video Processor (videowall)
- * Flight Case (3pcs - 1 packed 8 cat pc for a spare part)
- * 8 units Huning Beam
- * Power Cable
- * Data Cable
- * Counterweights
- * Ladder trusses brackets
- * Hanging bars
- * Auto Voltage Regulator (AVR)
- * Mainline (10m)
- * Flightcase
- * Butterfly brackets and bolts
- * Video Processor MVP300

Spare Parts

- * 1 unit Module (250*250mm)
- * 1 unit Power Supply (5v 40A)
- * 2 units Mask
- * 1 unit Receiving Card
- * 2 units of Power Cable and Signal
- * 20 units Led Lamp

[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidder's Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

2	1.00 unit	<p>LED Screen Pixel Pitch 4 (Outdoor Ledwall) Nationstar LED lamp</p> <p>LED Parameters * Red LED - 420-640mcd 620-630nm (wavelength) * Green LED - 1200-1800mcd 520-535nm (wavelength) * Blue LED - 280-480mcd 465-475nm (wavelength)</p> <p>Module Specifications * Pixel Pitch - 4.81mm * Pixel Configuration - SMD2525 3 in 1 * Module Resolution - 52*52 * Module Pixels - 2704dots * Module Size - 250*250mm</p> <p>Cabinet Specifications * Cabinet Size (W*H) - 500*500mm * Cabinet Resolution - 104*104 * Module Quantity - 4 * Cabinet Pixels - 10816dots * Pixel Density - 43264dots/m2 * Average Power Consumption - 190W/m2 * Max. Power Consumption - 650W/m2 * Material - Die Casting Aluminum * Cabinet Weight - 11kg</p> <p>Screen Parameters * Screen Size - 9x12ft * Whole Screen Resolution - 20076672dots * Cabinet Quantity - 40 panels + free 8 panels (500x500mm) * Brightness - =4000CD/m2 * Brightness(Max./Min.) - 1.2:1 * Driving Method - 1/13 constant current driving * View Angle - Horizontal 120° Vertical 120° * Optimal Viewing Distance - 4-100m * Brightness Control - 14bit-16bit * Refresh frequency - =3840Hz * Frame Frequency - 50 -- 60Hz * Input Voltage - AC220V/110V±10% ,50Hz * Defects Rate - =0.00001 * Power Consumption - Max:650W/m2 Average: 190W/m2 * Screen weight - =22kg/m2 * MTBF - >10,000 hours * Life span - =100,000 hours * Module Display Brightness Uniformity - <3% * Earth Leakage Current - <3mA * Protective Grade - IP65 * Temperature-operating - 30C~60C * Humidity-operating - 10%~95% * Controlling system - Novastar</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
---	-----------	---	---

			<p>Inclusion:</p> <ul style="list-style-type: none"> * 48pcs P4.81 outdoor full color rental led screen - Module size 250*250mm, Cabinet Size - 500*500mm, Display Size (M2) - 12 * Control System (novastar) - sending card - 1 unit, receiving card - 48 units * 1 unit Video Processor (videowall) * Flight Case (3pcs - 1 packed 8 cabinets and 1 pc for a spare part) * 8 units Huning Beam * Power Cable * Data Cable * Counterweights * Ladder trusses brackets * Hanging bars * Auto Voltage Regulator (AVR) * Mainline (10m) * Flightcase * Butterfly brackets and bolts * Video Processor MVP300 <p>Spare Parts</p> <ul style="list-style-type: none"> * 1 unit Module (250*250mm) * 1 unit Power Supply (5v 40A) * 2 units Mask * 1 unit Receiving Card * 2 units Power Cable and Signal Cable * 20 units Led Lamp 	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
3	2.00 units	Video Processor	<ul style="list-style-type: none"> * Type - Signal Processing * Type - LED video processor MVP300 with nova msd300 sending cards * Input: 1HDMI 1DVI 1VGA 1AV 1USB * Output: 2DVI with audio and video sync output * Max support resolution - 1920*1080@60Hz * SDI Inputs for Camera * Weight - 4.5kg * Size - 485*320*68mm * Power - 100-240V 50-60HZ * Certification - FCC CE RoHS * Support sending card - Linsn ts802d nova msd300, color light S2 	
4	1.00 unit	Video Switcher	<ul style="list-style-type: none"> * Portable all-in-one design with 15.6-inch FHD LCD display * 6 channel inputs: 4xSDI and 2xDVI-I/HDMI/VGA/ USB * 3xSDI PGM out (1xAUX), 2xHDMI PGM & 1xHDMI multi view out * Input format auto-detected and PGM/AUX output format selectable * T-Bar/AUTO/CUT transitions and MIX/FADE/WIPE effects 	

<p>* Luma Key/Chroma Key for virtual studio * PIP/POP window size and position adjustable * Record PGM video to SD card, up to 1080p60 * Audio mixer: TRS audio & SDI, HDMI, USB embedded audio</p>				<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
2	20223767B	2022053371	<p>PROCUREMENT OF MEDICAL EQUIPMENT FOR OPERATING ROOM DDNH – CARMEN ZONE</p> <p>3,865,000.00</p>	
1	1.00	UNIT	<p>INFANT WARMER WITH PHOTOTHERAPY LED LIGHT</p> <p>*Technical Specifications and features *Microprocessor based servo controlled temperature system *Three modes: pre-warm, manual and automatic *Set temperature and sin temperature display separately *Anti-explosion micro crystal quartz for radiation source *Self- testing function, various failure alarms by audible and visual *APGAR timer to record therapy time *Convenient xray cassette tray under infant mattress *Heater head can be adjusted ±90° horizontally *Inclination of infant bed is adjustable *LED observe light angle is adjustable *Transparent protector can be folded down, with two infusion seals *RS232 connector *Built in low pressure aspirator, *LED phototherapy unit, PVC infant resuscitator *Parts: internal / external infant resuscitator (T piece) , infant oxygen hood., Air and oxygen blender, Gel mattress, Oxygen supply system, Electric height adjustable, Air temperature & count down timer infant head fixing unit,</p>	
2	1.00	UNIT	<p>CARDIAC MONITOR WITH ETCO2 AND DRIP SENSOR</p> <p>Features:</p> <p>: 12' Touch Screen : Display layout can be changed : Fanless design : Adjust brightness automatically based on ambient light : Battery life up to 8 hours : Must have accessory box at the back of</p>	

the monitor
 : Must have Early Warning Scoring for physiology
 : Must have respiration rate from the pleth
 : Must have Pulse Prevention Variation
 : Must have Intelligent Automatic Speech Recognition (Voice command)
 : Must have IOT Cloud platform
 : Monitor must have Drip Monitor for infusion drip rate
 : Must have glasgow coma scale

Technical Specifications:

Screen size : 12"
 Screen type : Color TFT LCD
 Waveforms : Normal screen: 7 waveforms
 : ECG screen: 12 waveforms (S12)

Data Storage : 3000 groups and associated waveforms
 Trend " : 180h !minimum resolution is 1min
 6h, minimum resolution is 5s"
 ARR Event : 3000 groups and associated waveforms
 NIBP 2400 groups : 2400 groups
 Holographic waveform : 72 hours Full disclosure

Interfacing & IO Devices : Keyboard and mouse
 : Barcode scanner on USD
 Mainstream CO2
 Measurement range : 0% to 25% (0 mmHg to 190 mmHg)
 Resolution : 0.1% or 1mmHg
 Preheating time : <10s
 Rise time : <90ms
 Unit : %, mmHg, kPa
 Accuracy : ± (0.43% + 8% of reading)
 awRR range : 0 rpm to 150rpm
 awRR accuracy : ±1 rpm

Drip Monitor

Measurement range : Drip rate 5~200 Drops/min
 : (1mL of conventional tube =20 drops
 Accuracy : ±2 digit or ±2% (whichever is greater)
 Unit : Drops/min, mL/h, can be automatically converted
 : (1mL conventional tube=20 drops is mainly used.)
 Liquid stop function : Alarm and stop liquid when infusion is completed.

[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

		<p>: Alarm when drip rate is abnormal.</p> <p>PPV Measurement range : 0-50% Resolution : 1.00%</p> <p>Respiration from Pleth Measurement range : 0 rpm ~90 rpm Resolution : 1 rpm Accuracy : ± 2rpm</p> <p>ECG Arrhythmia analysis : 27 kinds</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
3	1.00 UNIT	<p>AUTOClave MACHINE 330-350L</p> <p>TECHNICAL SPECIFICATION:</p> <p>Features:</p> <ol style="list-style-type: none"> 1. Designed of Double- layer with inner and outer chamber for good drying efficiency 2. 304 stainless steel doors with radial lever to effectively lock tight the door to prevent steam leak. 3. Must be Silicon made door gasket for high temperature resistant, durable, and without deformity 4. The chamber of the body is supported by a stainless steel support, and the height of level can be adjustable footpad. 5. The max sterilization temperature must be 134 degree celcius and the pressure value for sterilization must be able to reach 2.2kg/cm <p>Safety Devices:</p> <ol style="list-style-type: none"> 1. Must have auto power off protection device for water shortage 2. Must have Pressure controller 3. Must have Safety Valve 4. Must have Pressure Lock 5. Must have Safety switch of door cover <p>Functions:</p> <p>Must have steam exhaust valve for outer chamber</p> <p>Must have dry valve for inner chamber</p> <p>Manual dry function</p> <p>Manual sterilization function</p> <p>Must have thermometer for inner chamber</p> <p>Timer: 60 mins.</p> <p>Must have safety valve</p> <p>Should have pre heating function</p> <p>Auto water refilling</p> <p>Should have low water indicator and water level control and protection</p>	

			<p>Manual safety doorlock activated by pressure</p> <p>System: Machine size: L 174cm x W76cm x H175cm, chamber size: 60cm x 120cm Capacity: 339L Power consumption: 18kw, 220V, 3P, 50/60hz Max sterilization: 134 degree celcius</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
<p>4</p>	<p>1.00 UNIT</p>	<p>FETAL MONITOR</p>	<p>FEATURES:</p> <ul style="list-style-type: none"> ? Patented WIRELESS transducer for easy connectivity and continuous monitoring even when mothers move away from monitoring system ? Wider Scan Area and Penetration ? 12 crystal wide band pulse wave Doppler probes offer wide scan area and better penetration. ? Universal Probe can be connected to any of same Fetal monitoring systems ? Triplets Monitoring o Technology: Offers Triplets monitoring function. Advanced FHR technology <ul style="list-style-type: none"> o Verifies and separates Twins and Triplets FHR ? Have Largest Data o Storage:1200 hours of CTG data storage <ul style="list-style-type: none"> o Offers highest storage capacity in the category ? Real Time Analysis o Function: Built-in CTG analysis function (Krebs, Fischer, CST, NST) <ul style="list-style-type: none"> o providing automatic analysis of FHR baseline, acceleration time, amplitude, o short term variation etc ? Two Bed Monitoring o Technology: Simultaneous monitoring of two patient can be done with one CTG system ? Enhanced o Workflow: Foldable Color Screen with 10.2" touch screen & Shuttle button for enhanced flexibility and workflow. Large Fonts and graphs for easy viewing of maternal and fetal indicator Screen o 10.2 TFT foldable color screen 	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
<p>5</p>	<p>1.00 UNIT</p>	<p>MOBILE LED LIGHT</p>	<p>FEATURES:</p>	

<ul style="list-style-type: none"> · Allows users to focus the light field; to adjust the light intensity and color in easy-to-use control panel. · It makes the light the ultimate minor procedure light. The state of the art of LED Technology standard model is equipped with the patent: hybrid optical system and the simplified lighting spot control with removable and autoclavable handle. · High Color Rendering Index (CRI) suggests high CRI of Ra 96/95 which may realize clearer and nature-like color. It helps reduce the eye fatigue compared to higher brightness with low CRI. · Comfortable Light In case of lower color temperature with high light intensity, eye dazzling effect occurs. At the same light intensity, high color temperature gives much brighter light field. Given that comfort light should consider the balance between intensity(brightness) and color temperature, users easily know the merit of the mobile light as it allows to control both indices. Surgeon may set adequate eye comfort circumstance by customizing intensity and color temperature. · Pattern size for the light can be adjusted to different operations. According to the size of the affected area, pattern size can be controlled from 15cm to 25cm. · For intensive illumination in specific area, 15cm focus can be selected. · For wider focus and more scialytic effect, 25cm focus can be selected. · Hybrid LED Optical Design combined lens and reflector ensures high light intensity and efficiency compared to normal reflector. · Making cool light is crucial for preventing dry-up of the affected area during the surgery. Hybrid mechanism of the light helps have energy saving performance which is directly linked to lower temperature light. · Adjustable Focus By rotating central knob, users can easily select the focal size from 15cm to 25 cm. · Selectable Color Temperature: Intuitive control panel makes color temperature control easier. (3800K/4300K/4800K) Surgeons can customize the color of beam as for the purpose of use. · Intensity Control in 3 steps Wide range of intensity 	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
--	---

		<p>(5,000LUX~130,000LUX) will allow the easier setting of adequate circumstance for surgeon.</p> <ul style="list-style-type: none"> · The Highest Level of Color Rendering Ability (Ra 96) · Must uses high quality color rendering technology and suggests the perfect color based on the wound field texture and tissue type so that it helps reducing the possibility of unexpected mistakes during the surgery. · Scialytic effect. The high optical efficiency of the mobile light is based on an innovative lens system with 42 LED sources that ensures a beam of light with wide scialytic effect. · No heat, Cool light Less than 0.5 degree on the affected area Noiseless cooling system · Detachable Handgrip: Rotation grip to select the focal size Easy and stable handling Autoclavable material <p>SPECIFICATIONS:</p> <ul style="list-style-type: none"> - Number of led: not less than 42 - Head size(cm): 43.5 - Illumination EC at 1m working distance: max. lux (130,000 at 1m) - CRI: ra 96, r9 95 - Color temperature(k): 3800/4300/4800 - Power consumption: =25 - Lifespan: 60,000 hours - Head size/weight: 43.5cm <p>3 different modes Surgical mode: 130,000 lux Examine mode: 60,000 lux Dental mode: 30,000 lux</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
6	1.00 UNIT	<p>ANESTHESIA MACHINE (PREMIUM QUALITY)</p> <p>Features</p> <ul style="list-style-type: none"> * Must be cycle absorber assembly with integrated bypass and heating system by mold manufacturing * Must have AGS System * Must have integrated suction system * Top shelf could load not less than 30kg * Must have 2 vaporizer ISO/Sevo * Must have 2 big drawer atleast 200 x 392 x 398 (H x W x D) or better * The ventilator can automatically set ventilation parameters and alarms based on the IBW calculated from the patient height input * Monior size not less than 10.4 TFT <p>Color touch screen</p> <p>Patient Scope From pediatric to adult</p>	

<p>Pneumatic Specifications Pipeline gas supply O₂+N₂O+Air Backup cylinder yokes O₂+N₂O Fresh gas flowmeter (L/min) Mechanical, 6 tubes flowmeter: O₂: 0 ~ 10 L/min N₂O: 0 ~ 12 L/min Air: 0 ~ 15 L/min Mechanical, 4 tubes flowmeter: O₂: 0 ~ 10 L/min N₂O: 0 ~ 12 L/min Auxiliary O₂ flow flowmeter Yes ACGO switch Yes AGSS Yes Patient Breathing System Yes Highly integrated, fewer connections, ease of mounting (no tools required) Yes Autoclavable at 134° C and nature latex free Yes Heating function Yes Automatic CO₂ By-pass, change of soda lime without interruption of ventilation Yes One step bag/vent switch turns ventilator on/off Yes Built-in oxygen monitor sensor (at inspiratory airway) Yes</p> <p>Infrared sensor for soda lime canistor Yes Respiratory valve made of ceramic Yes Built-in inspiratory and expiratory spirometry sensors, sensor cabling & connections are routed internally Yes Quick release canistor operated by single action Yes Ventilator Parameter Range Battery backup time (minutes) > 90 Driven mode Pneumatically driven, electronically controlled Setting Must be Touchscreen control and Navigator wheel Ventilation mode Ventilation Mode: VCV, PCV, PSV, SIMV-VC, Manual/Spontaneous Standby Ventilation mode: SIMV-PCV, CPAP/PSV, PRVC Backup modes: VCV & PCV</p> <p>The ventilator can automatically set ventilation parameters and alarms based on the IBW calculated from the patient height input</p> <p>PEEP (cmH₂O) Integrated electronic PEEP OFF, 3 ~ 30</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
---	---

<p> Tidal volume (mL) 10 ~ 1500 Altitude compensation Yes Breath rate (BPM) 1 ~ 100 4 ~ 60 (SIMV) I:E time ratio (Ti:Te) 4:1 ~ 1:10 Inspiratory time (Ti) (s) 0.1 ~ 10 Plateau time (Inspiratory pause) (Tip:Ti) Off, 0 ~ 60% of Ti Pressure (Psupport) range (cmH2O) 0 ~ 70 Pressure (Pinspired) range (cmH2O) 5 ~ 70 Pressure (Plimit or Pmax) range (cmH2O) 0 ~ 80 Tslope (s) 0 ~ 2 Flow trigger (L/min) 0.5 ~ 20 Pressure trigger (cmH2O) 0 ~ 20 Inspiration termination level Ventilator Monitoring Display Not less than 10.4" TFT color touch screen Volume / Flow Vti, Vte, MV, MVspn Pressure Ppeak, Pmean, Pplat, Pmini PEEP Yes Breath rate (BPM) F, Fspn I:E ratio Yes Waveform P-T, F-T, V-T SpO2-T, CO2-T Waveform frozen Spirometry loop P-V, F-V Bar graph display N/A Compliance (C) Yes Resistance (R) Yes FiO2 (Galvanic fuel cell) Must have this as an option for upgrade FiO2 (O2 paramagnetic sensor / module) EtCO2 & FiCO2 (CO2 module) Must have this as an option for upgrade SpO2, PR (SpO2 module) Must have this as an option for upgrade FiAA, EtAA, FiCO2, EtCO2, FiN2O, EtN2O (Multi-gas module) Must have this as an option for upgrade MAC (Min. Alveolare Concentration) Must have this as an option for upgrade AIMS Must have this as an option for upgrade Alarms Alarm settings / limits VT, MV, FiO2, Paw, Rate, EtCO2, FiCO2, FiN2O, Inspired anesthetic agent. Apnea (s) 10 ~ 60 Smart alarms / messages High continuous airway pressure, O2 supply failure, Mains failure, Battery low capacity, Battery exhausted, Alarm mute = 120 s, Negative pressure, Inspired O2 < 18 Vol.% Optional: MAC (for upgrade) </p>	<p> <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i> </p>
--	---

		<p>Communication port USB, Cal. Port, RS232, VGA monitoring mounting arms Yes Three back up power socket Yes</p> <p>Other Requirement for Anesthesia Machine * Must have Distributors Agreement notarized from the manufacturer and Philippine embassy * Must have gas flow analyzer for calibration. Picture of the actual unit with its serial number must be attached together with the bidder's sales representative during the bidding.</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
<p>7</p>	<p>1.00 UNIT</p>	<p>HYDRAULIC UNIVERSAL OPERATING TABLE</p> <ul style="list-style-type: none"> *Stable base construction with four castors for easy movement *Manual base brake *Lateral tilt and trendelenburg adjusted by hand crank *Base cover, side rails, accessories, & clamps made of #304 stainless steel *Table top elevation controlled by hydraulic system *Table top divided into 5 sections including head plate (U-shaped head rest), back plate, seat plate, and leg plates *360 degrees table top rotation *With side rails for the insertion of X-ray cassettes (equipped with acrylic sheet plates for X-ray radiography) <p>LENGTH OF TABLE TOP: 190CM WIDTH OF TABLE TOP: 50CM TABLE TOP ELEVATION: 71-100CM LATERAL TILT LEFT/RIGHT: 25DEGREES/25DEGREES TRENDELENBURG/REVERSE: 30DEGRESS/22DEGREES BACK SECTION UP/DOWN: 70DEGRESS/0DEGREES HEAD SECTION UP/DOWN: 30DEGREES/90DEGREES LEG SECTION UP/DOWN: 20DEGREES/90DEGREES BEARING CAPACITY: 150 KILOGRAMS</p> <p>ACCESSORIES: SCREEN FRAME / 1 SET SHOULDER SUPPORTER / 1 PAIR BODY SUPPORT / 1 PAIR ARM BOARD / 1 PAIR LEG CRUTCHES / 1 PAIR</p>	

KIDNEY ELEVATOR / 1 SET RESTRAIN STRAP / PIECE HAND GRIPS / PAIR U-SHAPED HEADREST / SET RAISED ARMREST / SET X-RAY RADIOGRAPH TABLE TOP / SET CONTAMINATION BUCKET / SET				<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
3	20223768B	2022053601	PROCUREMENT OF BRAND NEW VEHICLE FOR PADO – ADMIN 1,700,000.00	
1	1.00	Lot	BRAND NEW VAN 15 SEATERS Variant: Premium A/T (15 Seaters) Transmission: 5-Speed Automatic ENGINE: Type: 2.5-Liter 4 in-Line DOHC 16-Valve Variable Turbocharged (VGS) Diesel Bore x Stroke/Displacement/Compression Ratio :89mm x 100mm/2488cc/15:1 Maximum Power: Ps(HP)/rpm: 129(127.22)/3,200 rpm Maximum Torque: N-m(Kg-m)/rpm: 356 (36.30)/1,400-2,000 rpm Fuel System: Common Rail Direct Injection Fuel Tank Capacity: L 65 SUSPENSION / BRAKES: Front / Rear Suspension: Torsion Bar w/ Stabilizer/Rigid Axle w/ Leaf Spring Front / Rear Brakes : Ventilated Disc/Leading and Trailing Drums Braking Technologies : Load Sensing Valve (LSV) + Anti-Lock Braking System (ABS) + Brake Assist (BA) DIMENSIONS: Overall Length x Width x Height : mm 5,230 x 1,880 x 2,285 Wheelbase : mm 2,940 Tread (Front / Rear) : mm 1,655/1,635 Minimum Ground Clearance : mm 195 WHEELS AND STEERING FUNCTION: Wheels and Tires : 15-inch Steel w/ Full Wheel Cover/(195/70 R15C Dunlop SP 175M) + 15-Inch Steel Spare Wheel Steering Wheel : With Power Steering + Manual Tilt Steering (3-Spoke Urethane Material) Gear Type : Rack and Pinion EXTERIOR: Door Class : 2ND Row/3rd Row : Slide Window	

<p>(Driver Side) and Fixed Window (Passenger Side) Wiper : Front/Rear : 2-Speed Intermittent w/ Washer (Front) + Intermittent w/ Washer (Rear) Radiator Front Grille : Honeycomb-Type w/ Chrome Finish V-Motion Bumper : Front/Rear : Color Keyed Front Bumper Garnish : Carbon Fiber Finish Exterior Lamps : Multi-Reflector Halogen Headlamp w/ integrated Side Turn Signal Lamp + Rear Combination Lamp (Bulb-Type) + High-Mount Stop Lamp (LED-Type) Foglamp: With Foglamp Bezei Side Door Mirrors : Black Exterior Door Handle : Color Keyed Sliding Door : Single w/ Childproof Lock + Door Closure Assist Tailgate : With Door Closure Assist + Rear Window Defogger (w/ Timer) Antenna : Pillar-Type INTERIOR: Audio System : 2-DIN Single in-Dash Cd/Tuner/Aux w/ 4 Speakers Air Conditioning System: Manual w/ Heater + Dial-Type A/C Control Switch Rear Seat A/C Vent: With Independent Control x 14 Seat Material : Premium Fabric SEAT FUNCTION: Front : Driver Seat: w/ Manual Slide and Recline Functions (Low Back-Type) w/ Adjustable Head Restraint / Assistant Seat: w/ Manual Recline Function (Low Back-Type) w/ Adjustable Head Restraint Center Seat Foldable 2nd Row : Bench-Type w/ Manual recline Function w/ Adjustable Head Restraint x2 3rd Row: Bench-Type + Separate Seat w/ Manual Recline Function w/ Adjustable Head Restraint x3 4th Row : Bench-Type + Separate Seat w/ Manual Recline Function w/ Adjustable Head Restraint x3 5th Row: Bench-Type w/Manual Recline and</p>	<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
---	---

			<p>Fold-Up Functions w/ Adjustable Head Restraint x4 Power Windows : Black window Switch Panel w/ illumination (Driver and Passenger) w/ One-Touch Auto-Up/Down w/ Anti-Trapping Feature (Driver Side) Power Doorlocks : With CenterInstrument Panel : 2-tone Black/Gray w/ Silver Accent Sunvisors : With (Driver and Passenger) w/ Driver Side Ticket Holder Day and Night Rear View Mirror : With Keyless Entry + Panic Alarm : With Interior Door Handles : Chrome Parking Brake Lever Knob : Pull-Type INTERIOR TRIM: Front Door : Moulded Trim w/ Fabric Insert Sliding Door : Moulded Trim (Upper) Back Door : Metal Plate w/ Fabric Insert INTERIOR LAMPS: Cabin Lamp : Door Ajar Warning Lamp + Front Maplamps + Room Lamp x2 Luggage Lamp : With Pockets : Seatback Pockets (Driver Side) + Door Pockets (Front and Rear) Beverage Holders : Cup holders x 10 + Bottle Holder x 5 Storage : Glove Box w/ Lid + Upper Instrument tray (Center; A4 Binder Size) + Lower Instrument Box w/ Cooling Function + Under Storage Box (Driver Side) Grips : Assist Grip (Passenger Side)+Seatback Grip SAFETY: Front SRS Airbags : With (Driver and Passenger) Seatbelts : Front 3P ELR x 2</p>		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
4	20223769B	2022053403	PROCUREMENT OF IT	337,868.00	

				EQUIPMENT FOR LAND MANAGEMENT PROJECT IMPLEMENTATION OF PENRO	
1	1.00	Unit	LAPTOP	Processor : Core i7 10870H RAM : 16 + 16GB 512 GB SSD 15.6 IPS 144 Hz RTX 3070 8GB DDR 6 Laptop Bag (backpack type)	<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
2	1.00	Unit	LAPTOP	Processor : Ryzen 7 5700u RAM : 8GB 512 GB SSD 15.6 IPS 144 HZ RTX 3050 ti 4GB Laptop Bag (backpack type)	
3	2.00	Unit	BRANDED DESKTOP SET	Core i5-12400 W in 11 Home 8 GB 512 GB SSD GTX 1650 (4gb) WLAN-BT 500W PSU GOLD Office Home and Student EG220Q Pbipx 21.5" 1920 x 1080 @ 144Hz (TN) AMD Free Sync Technology	
REMARKS : FOR LAND MANAGEMENT PROJECT IMPLEMENTATION					
PLACE OF DELIVERY: PGSO Warehouse					
5	20223771B	2022053513	PROCUREMENT OF 4 WHEEL DRIVE VEHICLE FOR PEO – EQUIPEMENT POOL MANAGEMENT	1,480,000.00	
1.00	unit	4 Wheel drive vehicle (3.0 4x4 LT MT)		Engine: , 4-cylinder In-Line blue power diesel engine with turbo intercooler, semi- midship weight distribution 190 PS @ 3,600 RPM 450 N-m @1,600- 2,600 RPM Displacement: 2,999cc Service Brakes: Ventilated disc with return spring front, Auto- adjust drum brake rear Transmission : Six(6) speed Manual Transmission Tires: 255/65 R17 HT Steering: Rack and pinion power assist	
REMARKS : Item must be brand new and genuine.					
PLACE OF DELIVERY: PGSO Warehouse					

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) with valid and updated Annex A pursuant to GPPB Resolution No. 15-2021, with amended Section 8.5.2. wherein, *All bidders shall upload and maintain in PhilGEPS a current and updated file of the following Class “A” eligibility documents under Sections 23.1(a) and 24.1(a).*

In lieu of the Class “A” eligibility documents mentioned under Section 8.5.2 of this IRR, the Bidder shall only submit a valid and updated PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of this IRR for purposes of determining eligibility;

Technical Documents

- (a) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
- (j) Registration/Bidders fee of P 500.00 (enclose official receipt only) (*Note: **Must be renewed annually***)

Financial Documents

- (k) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu

of its NFCC computation, it must be at least equal to ten percent (10%) of the ABC to be bid. Provided, that if the same is issued by a foreign Universal or Commercial Bank, it shall be confirmed or authenticated by a Local Universal or Commercial Bank.

Class “B” Documents

- (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (m) Original of duly signed and accomplished Financial Bid Form enclosed in bid document; **and**
- (n) Bid form PASIMS generated (This shall be given upon receipt of the Bidding Document after payment of the non-refundable fee)

Note:

1. Fill-up the Bid form PASIMS generated provided, (Handwritten or Typewritten).
 2. Only the original bid form shall be accepted.
 3. Photocopy of the Bid form shall be accepted, provided that it shall be in the original size of the bid form (8.5x13) paper size.
- (o) Original of duly signed and accomplished Price Schedule(s).

Section IX. Sample Forms

1. Statement of all Ongoing Government & Private Contracts Including Awarded Contract
2. Statement of the Bidder's Single Largest Completed Contract (SLCC)
3. Net Financial Contracting Capacity (NFCC)
4. Form of Bid Security (Bank Guarantee)
5. Bid Security Declaration
6. Omnibus Sworn Statement
7. Bid Form

Statement of all Ongoing Government & Private Contracts Including Awarded Contracts but not yet started

Business Name : _____

Business Address : _____

Name of Outstanding Contract with other contracting party/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Kinds of Goods/ Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date of Completion	% of Accomplishment		Value of Outstanding Works/ Undelivered Portion
			Description	%		Planned	Actual	
						Total Cost		

Note: This statement shall be supported with:

1. Notice of Award and/or contract
2. Notice to proceed issued by the owner
3. Certificate of Accomplishments signed by the owner or authorized representative

Submitted by : _____

(Printed Name & Signature)

Designation : _____

Date : _____

Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Business Name : _____
Business Address : _____

Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Definition or description of the similar project or major categories of work	Bidder's Role		a. Amount at Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			Description	%		
Total Cost						

Note: This statement shall be supported with:

1. Contract
2. Certificate of completion
3. Certificate of Acceptance

Submitted by : _____
(Printed Name & Signature)
Designation : _____
Date : _____

NET FINANCIAL CONTRACTING CAPACITY (NFCC)

The computation for the Net Financial Contracting Capacity (NFCC) should be included in the eligibility documents following the formula and format calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

Note: K factor is fixed at 15

The values of the bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

*Current assets and current liabilities should be picked up from the corresponding entry in the audited financial statement for the year 2022

*The NFCC should at least be equal to the Approved Budget for the Contract (ABC) to be bid.

Example:

Current Assets -	P 5.2M
Current Liabilities -	P 4.1M

Value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid—

P 1.1M

$$\text{NFCC} = (5.2\text{M} - 4.1\text{M}) * 15 - 1.1\text{M}$$

$$\text{NFCC} = 15.4\text{M}$$

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures in specified currency]* (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:

- i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
- ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;

iii. Performance Security;

iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and

v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.

4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]
[Insert Signatory's Legal Capacity]
for:
[Insert Procuring Entity]

[Insert Name and Signature]
[Insert Signatory's Legal Capacity]
for:
[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder] and official electronic mail address at [email address of Bidder]

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder] and official electronic mail address at [email address of Bidder]

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, BOATd/Partnership Resolution, or Special Power of Attorney, whichever is applicable);];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy BOATd, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and

8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.

9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.

2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;

3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:

a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:

- i. Procuring Entity has no claims filed against the contract awardee;
- ii. It has no claims for labor and materials filed against the contractor; and
- iii. Other terms of the contract; or

b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory’s legal capacity]
Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Bid No. _____ Page ____ of ____

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract are awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM

Date: _____
Bid No.: _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____


Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Section X. SEALING AND MARKING OF BIDS



I. Single Stage Bidding Process

Envelope 1. Original Bid

- a. Original Eligibility Documents and Technical Proposal
- b. Original Financial Proposal

Envelope 2. Copy #1

- a. Copy #1 Eligibility Documents and Technical Proposal
- b. Copy #1 Financial Proposal

Envelope 3. Copy #2

- a. Copy #2 Eligibility Documents and Technical Proposal
- b. Copy #2 Financial Proposal

II. Each Envelope shall:

1. Contain the name of the contract to be bid in capital letters
2. Bear the name and address of the prospective bidder in capital letters
3. Bear addressed to the PROCURING ENTITY's BAC
4. Bear the specific identification of this project indicated in the ITB
5. Bear a warning "DO NOT OPEN BEFORE "the date and time for the Opening of Bids indicated in the ITB.

Each envelope must be sealed.

The Chairman
Bids & Awards Committee
2F/PGSO Building, Government Center, Mankilam, Tagum City
Davao del Norte

ORIGINAL ENVELOPE

Bid No. / PROCUREMENT OF _____

Contractor: **(NAME OF CONTRACTOR)**
(ADDRESS)

"DO NOT OPEN BEFORE _____ AT 09:00 AM"

Sample Tabbing

(ORIGINAL/COPY 1/COPY 2)
Eligibility Documents and Technical Proposal

Bid No:
Item Description/Project:
Establishment:
Address:
Contact Details:

- PhilGEPS
- Ongoing
- SLCC
- NFCC
- Bid Security
- Omnibus
- Technical Specs
- Registration
- JVA

(ORIGINAL/COPY 1/COPY 2)
Financial Proposal

Bid No:
Item Description/Project:
Establishment:
Address:
Contact Details:

- Bid Form
- Bid Form
- Price Schedule

